



**BANO**®

Designed for care

NO

SE

DK

EN



## Concept

Bano concept involves well planned placement of all the features within a bathroom. To ensure the best possible functionality, each product has been adapted and further developed during several years of testing and use.

In order to develop a bathroom that helps people with reduced functional abilities to achieve optimal movement within this space.

Bano has been carrying out research about people's natural movement patterns for over five years. The result is a bathroom concept that gives the user security and facilitates independence.

### **The main focus of Bano's concept:**

- Functionality and flexibility at all bathroom areas.
- Increase quality of life: Improved functionality in the bathroom gives senior citizens a higher degree of security and independence.
- Improve working environment: reducing strain on the caregiver
- Height adjustable toilets and washbasins can be height adapted to all users needs.
- Bano grab bar support : strategically designed to "intuitive grab on" in case of body unbalance or lack of vision.

Bano is designed for care.



## Contents


Height adjustable toilet.....	4-7
Height.adj hygienic washbasin .....	8-10
Standard washbasin.....	11
Universal washbasin .....	12-13
Standard HC washbasin.....	14-15
Shower seats.....	16-17
Shower rail/support bar.....	18-19
Wall grab bars.....	20-23
Toilet bowls and toilet seats.....	24-25
Toilet grab bars.....	25
Cabinets .....	26-28
Mirror.....	29
Lamp.....	29
Washbasin taps.....	30
Shower head and hose.....	31
Shower thermostat.....	31
<b>Accessories</b>	
Back rest for 700 mm toilet.....	34-35
Bathroom shelves.....	36-37
Wall mounted toilet brush.....	38
Waste bin.....	39
Single wall hook.....	40
Double wall hooks.....	41
Walking stick holder.....	42
Flexible outflow pipe.....	43
<b>Contact.....</b>	<b>44</b>



Bano's products meet the provisions in the EU safety requirements. The directive for medical equipment 93/42 / EEC, Class 1.



Bano provides a 3-year warranty against manufacturing defects: i.e. if such defects appear within 3 years of installation, customers can replace the defective item with a corresponding properties.



**BANO®** Height adjustable toilets/cistern  
Designed for care

**Quickly and easy / Electrical or manual**


Bano's height adjustable toilet/cistern can be adjusted either manually with a crank or electrically. This lightens the carer's work load because with simple steps one person can quickly and easily adjust the height of the toilet and grab bars to fit the user's needs. For bathrooms with external pipes, an extension for the cistern must be used.

The electrical toilet/cistern height is controlled by an electrical control attached to the toilet grab bars.

Bano height adjustable toilets/cistern are suited for bathroom areas where the toilet height requirements are different for each user, for example hospitals and nursing homes. Maximum weight load: 500kg



Bano toilet grab bars can be placed up when are not in use, this functionality gives better accessibility around the Bano bathrooms.



The height of the toilet can be adjusted from 400 to 600 mm (200 mm).

## Bano height adjustable toilet/cistern - electrical




**5970S2-EL**  
Bano height adjustable toilet/cistern - electrical  
White



**5970S2-EL-G**  
Bano height adjustable toilet/cistern - electrical  
Gray



**5970S2-EL-B**  
Bano height adjustable toilet/cistern - electrical  
Black



## Bano højdejusterbart toilet- manuel




**5970-MA**  
Bano height adjustable toilet/cistern - manual  
White



**5970-MA-G**  
Bano height adjustable toilet/cistern - manual  
Gray



**5970S-MA-B**  
Bano height adjustable toilet/cistern - manual  
Black



## Toilet grab bars for h.adj toilet/cistern 5970S2-EL and 5970-MA



- 5603** Toilet grab bar- 900 mm- grey  
For h.adj toilet/cistern 5970S2-EL and 5970-MA- Mounting to cistern
- 5604** Toilet grab bar- 700 mm- grey  
For h.adj toilet/cistern 5970S2-EL and 5970-MA- Mounting to cistern
- 5603-B** Toilet grab bar- 900 mm- black  
For h.adj toilet/cistern 5970S2-EL and 5970-MA- Mounting to cistern
- 5604-B** Toilet grab bar- 700 mm- black  
For h.adj toilet/cistern 5970S2-EL and 5970-MA- Mounting to cistern
- 5603-EL** Toilet grab bar with electrical height control - 900 mm- grey  
For toilet/cistern 5970S2-EL and 5970-MA - Mounting to cistern
- 5604-EL** Toilet grab bar with electrical height control - 700 mm- grey  
For toilet/cistern 5970S2-EL and 5970-MA - Mounting to cistern

## Bano toilet bowls



**5965** Toilet bowl 530 mm







**5975** Toilet bowl 700 mm

*For technical information see page 24*

## Bano toilet seats





-  **5970-06** grey
-  **5970-03** white
-  **5970-04** black
-  **5970-07** red

*For technical information see page 24*

## Accessories

Bano back rest for 700 mm 5975 toilet bowl



-  **5972-03** grey
-  **5972-03B** black

*For technical information see pages 34-35*

Bano wall mounted toilet brush



-  **3477-G** grey holder
-  **3477** white holder

*For technical information see page 38*

Bano extensions for cistern

- 5970-22** Extension 50 mm for cistern
- 5970-23** Extension 100 mm, for cistern
- 5216** 60 mm wood screws
- 5218** 80 mm wood screws



**BANO**<sup>®</sup>  
Designed for care

## Height adjustable washbasin

### **Functionally designed**

Bano 5202 hygienic washbasin is designed to meet the user needs. It has a solid grab bar in front which provides security for the user. The washbasin has drainage in the front and is therefore well adjusted for wheelchair users. There is storage room on both sides of the washbasin.

### **Height-adjustment**

The washbasin is used with Bano's height adjustable wall mounted module (5207-EL, electrical, or 5207-MA, manual with crank).





**Easy and hygienic**

Bano hygienic washbasin is made especially to easy and hygienic cleaning. The underside has a cover which effectively hides tubes and pipes and simplifies the task of cleaning. Load tested to 300 kg.



The height adjustment electrical control can be placed in different location on the hygienic washbasin.



**BANO**<sup>®</sup>  
Designed for care

**Bano height adjustable modules for 5202R/L hygienic washbasin**


**Bano's height adjustable wall mounted modules: 5207-EL electrical, or 5207-MA manual with crank.** Helps reduce strain on nursing staff by being easily adjusted in height to fit the user needs. The height adjusters can be operated by one person.



**5207-EL** Bano electrical height adjustable modul for 5202 hygienic washbasin



**5207-MA** Bano manual height adjustable modul with crank for 5202 hygienic washbasin



**Without height adjustment**



**52070** Bano mounting brackets without height adjustment for 5202 hygienic washbasin

**Bano 5202 hygienic washbasin for h.adjust. modul: 5207-EL, 5207-MA and mounting brackets 52070**

Adapted for wheelchair users

Bano hygienic washbasin has a run off at the front , which is very useful in connection with brushing teeth, washing faces, etc. This is especially important for users sitting in a chair or in a wheelchair.

Right




Left



- 5202/R (right)**  
**5202/L (left)**  
Hygienic washbasin  
Grey grab bar  
1032 x 588 mm

- 5202/R-W (right)**  
**5202/L-W (left)**  
Hygienic washbasin  
White grab bar  
1032 x 588 mm

- 5202/R-B (right)**  
**5202/L-B (left)**  
Hygienic washbasin  
Black grab bar  
1032 x 588 mm



**Accessories**



**5805** Bano washbasin tap with long spout  
*For technical information see page 30*



**52094** Bano flexible outflow pipe  
*For technical information see page 43*

## Bano standard washbasin



Bano standard washbasin is functionally designed to meet the needs of care home residents. An integrated grab bar improves safety and confidence in everyday tasks.

### Adapted for wheelchair users


There is also a run off in the front of the washbasin, which is very useful in connection with brushing teeth, washing faces and etc. This is especially important for users sitting in a chair or in a wheelchair. Load tested to 300 kg. Bano standard washbasin can be supplied with or without manual height adjustable mounting brackets.





Right




Left

 **5200/R (right) and 5200/L (left)**  
Standard washbasin with grey grab bar  
1000 x 500 mm

 **5200/R-W (right) and 5200/L-W (left)**  
Standard washbasin with white grab bar  
1000 x 500 mm


 **5200/R-B (right) and 5200/L-B (left)**  
Standard washbasin with black grab bar  
1000 x 500 mm



### Accessories for 5200 standard washbasin



**5207-02** Bano manual height adjustable brackets- grey



**5207-B-02** Bano manual height adjustable brackets- black



**52088** Bano non adjustable fixed brackets  
240 x 52 mm



**52094** Bano flexible outflow pipe



**5805** Bano washbasin tap with long spout

For technical information see page 43

For technical information see page 30

Bano universal washbasin is supplied with fixed brackets as standard. This washbasins can be installed free standing on a wall or in combination with a side cabinet. The washbasin provides plenty of space for hygiene articles.

In addition, it is 600 mm deep with a flat base to ensure good access for wheelchair users. We recommend installing the washbasin with a Bano outflow pipe next to the wall.




The grab bar on the leading edge provides good support during use and when moving towards and from the washbasin. Load tested to 300 kg

## Bano universal washbasin




### Bano universal washbasin with grab bar and manual height adjustable brackets 800 x 600 mm



- 7202-02** Bano universal washbasin with grey grab bar and manual height adjustable brackets
- 7202-W-02** Bano universal washbasin with white grab bar and manual height adjustable brackets
- 7202-B-02** Bano universal washbasin with black grab bar and manual height adjustable brackets

### Bano universal washbasin with grab bar without height adjustment 800 x 600 mm



- 7201** Bano universal washbasin with grey grab bar and fixed mounting brackets
- 7201-W** Bano universal washbasin with white grab bar and fixed mounting brackets
- 7201-B** Bano universal washbasin with black grab bar and fixed mounting brackets

### Bano universal washbasin without grab bar and without height adjustment 800 x 600 mm



**7200** Bano universal washbasin without grab bar and without height adjustment

## Accessories



**52094** Bano flexible outflow pipe  
For technical information see page 43



**5805** Bano washbasin tap with long spout  
For technical information see page 30



**BANO**<sup>®</sup>  
Designed for care


## Bano standard HC washbasin

---

Bano standard HC washbasin is a simple and reasonable washbasin. It is supplied with fixing brackets and intended for use with the Bano flexible outflow pipe, which provides good access for wheelchair users. We recommend using the Bano washbasin tap with this washbasin.

**8200** Bano standard HC washbasin 655 x 560 mm





## Accessories



**52094** Bano flexible outflow pipe

*For technical information see page 43*



**5805** Bano washbasin tap with long spout

*For technical information see page 30*



**BANO<sup>®</sup> Shower seats**  
Designed for care

**Ergonomic shape and tempered surface**

Bano shower seat features a range of benefits. It is ergonomically shaped and covered with structural foam to provide a soft tempered surface. There is a hole in the middle to allow the water to run off. Easy to clean.

**With or without height adjustment**

The shower seat can be supplied with fixed brackets with or without height adjustment. The height of the shower seat is simple to adjust. It can be adjusted up to 200 mm (from 400–600 mm). The wall mounted fixed brackets provide a strong structure for the shower seat. Load capacity has been tested for maximum 500 kg.

**With or without armrest**

If the user needs an extra support, armrests can be attached to the same wall mounted rail as is used for the shower seat. The arm rests are made of the same material as the shower seat. The armrests are sold separately.



Bano shower seat can be folded up against the wall when is not in use.


**With height adjustment**



**5700-02** Bano shower seat with height adjustment- grey



**5700-B-02** Bano shower seat with height adjustment- black




**With height adjustment and armrest**



**5700-02** Bano shower seat with height adjustment- grey




**5700-B-02** shower seat with height adjustment- black



**5710-02** Bano armrest- grey




**5710-B-02** Bano armrest- black



**Without height adjustment**



**5701-02** Bano shower seat without height adjustment- grey



**5701-B-02** Bano shower seat without height adjustment- black



**BANO**<sup>®</sup>  
Designed for care



## Shower rail/grab bar

Bano shower rail is a combination of shower rail and grab bar. It features an angled shape, which makes it extremely versatile. It is available angled to the left or to the right. It is delivered without joints to improve hygiene and simpler installation. The shower rail is coated with anti bacterial puro coat for optimal grip.

Bano supplies a moveable shower shelf specially designed for the shower rail.

Load tested to 500 kg.

## Bano shower rail/grab bar



- 5581/L-G** Bano shower rail/grab bar- left- grey
- 5581/R-G** Bano shower rail/grab bar- right- grey
  
- 5581/L** Bano shower rail/grab bar- left- white
- 5581/R** Bano shower rail/grab bar- right- white
  
- 5581/L-B** Bano shower rail/grab bar- left- metallic black
- 5581/R-B** Bano shower rail/grab bar- right- metallic black



## Accessories

### Bano shower shelf 200 x 130 mm



- 5596-G** Bano grey shower shelf
- 5596** Bano white shower shelf
- 5596-B** Bano black shower shelf

For technical information see pages 36/37



**58820-01 16** Bano shower head/hose  
For technical information see page 31



**58820** Bano shower thermostat 150 c/c  
For technical information see page 31



**BANO<sup>®</sup>** Bano grab bars for wall  
Designed for care

Delivered without joints to improve hygiene and simpler installation. To ensure optimal grip, the grab bar thickness is 32 mm combined with anti bacterial powder coating. 40 mm distance between the bar and the wall is a functional design and great grab which the user feels secure and confident that will not fall. Also, this 40 mm distance from the wall is functional when the user is holding, because there is enough space to grab and doesn't hurt the user's hands.










Load tested to 500 kg.


## Bano wall grab bar L shape



Bano grab bar L shape features an angled shape, which makes it extremely versatile. The grab bar is available angled to the left or right.






-  **5591/ L-G** Bano wall grab bar L shape- left- grey
-  **5591/ R-G** Bano wall grab bar L shape- right- grey
-  **5591/ L** Bano wall grab bar L shape- left- white
-  **5591/ R** Bano wall grab bar L shape- right- white
-  **5591/ L-B** Bano wall grab bar L shape- left- metallic black
-  **5591/ R-B** Bano wall grab bar L shape- right- metallic black



### Accessories

#### Bano shower shelf 200 x 130 mm






-  **5596-G** Bano grey shower shelf
-  **5596** Bano white shower shelf
-  **5596-B** Bano black shower shelf

*For technical information see pages 36/37*

#### Bano bathroom shelf 345 x 149 mm




-  **5491-G** Bano grey bathroom shelf
-  **5491** Bano white bathroom shelf
-  **5491-B** Bano black bathroom shelf




*For technical information see pages 36/37*

Delivered without joints for improved hygiene and simpler installation. Thickness of 32 mm combined with anti bacterial powder coating ensures optimal grip. 40 mm distance between the bar and the wall means a better design and greater confidence for the user. Load tested to 500 kgs.



## Bano wall grab bars






- |   |  |   |   |
|---|--|---|---|
|  | <b>5440-G</b> Wall grab bar 400 mm- grey             |  | <b>5440</b> Wall grab bar 400 mm- white   |
|   | <b>5460-G</b> Wall grab bar 600 mm- grey             |   | <b>5460</b> Wall grab bar 600 mm- white   |
|   | <b>5480-G</b> Wall grab bar 800 mm- grey             |   | <b>5480</b> Wall grab bar 800 mm- white   |
|   | <b>54100-G</b> Wall grab bar 1000 mm- grey           |   | <b>54100</b> Wall grab bar 1000 mm- white |
|   |  |   |   |
|  | <b>5440-B</b> Wall grab bar 400 mm- metallic black   |   |   |
|   | <b>5460-B</b> Wall grab bar 600 mm- metallic black   |   |   |
|   | <b>5480-B</b> Wall grab bar 800 mm- metallic black   |   |   |
|   | <b>54100-B</b> Wall grab bar 1000 mm- metallic black |   |   |

## Accessories

### Bano wall double hook



- |   |  |
|---|--|
|  | <b>5402-G</b> Bano wall double hook- grey  |
|  | <b>5402</b> Bano wall double hook- white   |
|  | <b>5402-B</b> Bano wall double hook- black |

*For technical information see page 41*

### Bano shower shelf 200 x 130 mm






- |   |                                       |
|---|---------------------------------------|
|  | <b>5596-G</b> Bano grey shower shelf  |
|  | <b>5596</b> Bano white shower shelf   |
|  | <b>5596-B</b> Bano black shower shelf |

*For technical information see pages 36/37*

### Bano bathroom shelf 345 x 149 mm



- |   |   |
|---|---|
|  | <b>5491-G</b> Bano grey bathroom shelf  |
|  | <b>5491</b> Bano white bathroom shelf   |
|  | <b>5491-B</b> Bano black bathroom shelf |

*For technical information see pages 36/37*


**5965 Bano toilet bowl 530 mm**

**Wall-mounted toilet for built-in cistern**

Bano toilet bowls are ergonomically designed so that users can sit with safety and comfortable.

**Height adjustment**

The toilet extends 530 mm, and when installed with a Bano Cistern (5970-EL/MA) can be raised and lowered electrically or manually by a hand crank by up to 200 mm so that the height ideally suits the needs of each user. Load tested to 500 kgs.




**5975 Bano toilet bowl 700 mm**

**Wall-mounted toilet for built-in cistern**

Bano toilet bowls are ergonomically designed so that users can sit with safety and comfortable.

**Height adjustment**

The toilet extends 700 mm, and when installed with a Bano height adjustable cistern (5970-EL/MA) can be raised and lowered electrically or manually up to 200 mm. The height adjustment helps the needs of each user for diferent height. The 700 mm length makes it easier for the care personnel to provide assistance. For increased stability and safety, a Bano 5972 back rest can be placed on the toilet. Load tested to 500 kg.




**Bano toilet seats**

**Hygienic and stable toilet seat**

A simple mechanism for fitting and removing the seat facilitates cleaning and improves hygiene.

The toilet seat has been developed with side blocks for improved stability when users sitt down or go away from the toilet.




## Bano toilet grab bars



One of the greatest challenges in the bathroom involves moving on and off the toilet, Bano toilet grab bars makes this easier for both the resident and the care provider. The height of the support bar is simple to adjust from 700 to 900 mm. The generous length (900 mm) provides good ergonomic support. By bending forwards and using upper body strength, users can easily move on and off the toilet.

Bano also supplies a 700 mm grab bar with and without height adjustment. This is intended for use in situations where space is limited. The end of the grab bar has a smart designed “handle” that provides a good, secure grip. When it is not in use, the grab bar can be folded up against the wall to free up floor space. Load tested to 400 kg.




**5600/R-02** right and **5600/L-02** left  
900 mm grey toilet grab bar  
Height adjustable- wall mounting

**5607/R-02** right and **5607/L-02** left  
700 mm grey toilet grab bar  
Height adjustable- wall mounting

**5600/R-B-02** right and **5600/L-B-02** left  
900 mm black grab bar  
Height adjustable- wall mounting

**5607/R-B-02** right and **5607/L-B-02** left  
700 mm black toilet grab bar  
Height adjustable- wall mounting



**5601-02** 900 mm grey toilet grab bar  
Non adjustable- wall mounting

**5608-02** 700 mm grey toilet grab bar  
Non adjustable- wall mounting

**5601-B-02** 900 mm black toilet grab bar  
Non adjustable- wall mounting

**5608-B-02** 700 mm black toilet grab bar  
Non adjustable- wall mounting

## Accessories for toilet bowls

Bano back rest for 700 mm 5975 toilet bowl



- 5972-03** grey
- 5972-03B** black


For more information see pages 34/35

Bano wall mounted toilet brush




- 3477-G** grey holder
- 3477** white holder

For more information see page 38



**5970-10** Bano standard cistern




**5970-02 11** Bano cistern– manual height adjustment up til 70 mm (for in building) 25



**BANO**<sup>®</sup> Cabinets  
Designed for care

The bathroom cabinet contains a range of well designed elements. It features a solid construction and is adapted for installation with the Bano washbasins. The socket for the electrical connection is positioned inside the cabinet, where it is well protected against splashes of water. The positioning of the electrical outlet also provides good accessibility for wheelchair users. On installation, the cabinet door can be hinged on the right or on the left, with the integrated grab bar on the opposite side. Dampening on doors and drawers.



← The cabinet grab bar have been specially designed to stand a load of 400 kg.

The lower section of the cabinet contains a pull out wire basket.



## Bano standard tall cabinets





**5302D/R** (right) Bano standard tall cabinet, white  
1800 x 400 x 400 mm

**5302D/L** (left) Bano standard tall cabinet, white  
1800 x 400 x 400 mm

**5302-30D/R** (right) Bano standard tall cabinet, white  
1800 x 300 x 400 mm

**5302-30D/L** (left) Bano standard tall cabinet, white  
1800 x 300 x 400 mm



## Bano tall cabinets with 2 doors





**5303-44/R** (right) Bano tall cabinet with 2 doors, white  
1800 x 400 x 400 mm

**5303-44/L** (left) Bano tall cabinet with 2 doors, white  
1800 x 400 x 400 mm

**5303-34/R** (right) Bano tall cabinet with 2 doors, white  
1800 x 300 x 400 mm

**5303-34/L** (left) Bano tall cabinet with 2 doors, white  
1800 x 300 x 400 mm



## Accessories



**5311** Bano grab bar for standard/tall cabinet-grey



**5311-B** Bano grab bar for standard/tall cabinet metallic black




**5311-W** Bano grab bar for tall cabinet- white



**BANO®**  
Designed for care

## Bano special cabinet with door





**5304-44F/R** (right) Bano special cabinet with door, white  
1330 x 400 x 400 mm

**5304-44F/L** (left) Bano special cabinet with door, white  
1330 x 400 x 400 mm

**5304-34F/R** (right) Bano special cabinet with door, white  
1330 x 300 x 400 mm

**5304-34F/L** (left) Bano special cabinet with door, white  
1330 x 300 x 400 mm





## Bano special cabinet without door



**5304-44** Bano special cabinet without door, white 1330 x 400 x 380 mm

**5304-34** Bano special cabinet without door, white 1330 x 300 x 380 mm




## Bano side cabinet with door



**8341/R** (right) Bano side cabinet with door, white 650 x 325 x 170 mm


**8341/L** (left) Bano side cabinet with door, white 650 x 325 x 170 mm



## Bano horizontal cabinet



**8300-W** Bano horizontal cabinet, white 325 x 650 x 170 mm



## Bano mirrors




### Bano mirror with LED lights

**5190-01** Bano mirror with LED lights 3000k / 60 x 600 x 900 mm

**5190-02** Bano mirror with LED lights 4000k / 60 x 600 x 900 mm


The mirror has two pieces integrated lightning area. It is available in two light color: 3000K or 4000K. Expected life of the lamps are approximately 30.000 hours.



### 5101-02 Bano mirror

Bano optimirror plus is a high-quality float glass mirror with silver coating on one side. This ensures extremely high light reflection up to 92%.

Bano optimirror plus provides good protection to the layer of silver, without using conventional materials such as copper and lead. Not only is this an environmentally friendly approach, but it also provides much better protection against natural corrosion compared to standard mirrors. This means an end to problems with black edges and cracks in the coating. The mirror, which is part of a Bano bathroom solution, has polished edges and is fastened to the wall using clips.




## Bano lampe

**5114** Bano bathroom light LED 600 mm

**5115** Bano bathroom light 600 mm (T5 Fluorescent)


It is a surface luminaire with a plain and functional design. The diffuser in triple extruded acrylic gives good light distribution. When fitted to a mirror it will, with its transparent gradients provide a pleasant soft light to the face and the closest surroundings. It can be used in bathrooms, toilets, cloakroom and laundry room. The luminaire body is manufactured in steel with white end caps in synthetic material. The luminaire is flexible and can be mounted both horizontally or vertically.



### Bano washbasin tap with long spout and lever

The Bano washbasin tap is a classic single lever tap specially designed for the Bano washbasin. The tap is user friendly with a long spout and a long lever. The Bano washbasin tap is designed with a long spout to ensure that the stream of water flows far into the basin. The ergonomically designed lever is user friendly.


**5805** Bano washbasin tap with long spout and lever.



### Bano washbasin tap with standard spout

The Bano washbasin tap with standard lever features the same design and function as our other single-lever tap. The standard lever is shorter and has an elegant design suited to the private market.

**5802** Bano washbasin tap with standard spout



## Bano shower head and hose

The shower head can be moved up and down on the shower rail to the desired height. This means less water sprayed when the user is sitting on the shower seat as a result, the user can easily wash his/her body without wetting his/her hair. The shower head features a special filter to prevent the build-up of lime scale and to improve hygiene. The shower hose itself is soft and flexible, which makes it pleasant to use.

### 58820-01 16 Bano shower head og hose



### 9748 Check valve back flow preventer $\varnothing 15$ mm




## Bano shower thermostat

### User friendly

The Bano pressure controlled shower thermostat is ergonomically designed so that it is easy to turn the water on and off. The Bano mixer is fitted with a pressure controlled thermostat that reacts to and compensates for even the smallest changes in the water temperature. You can choose the temperature you require in advance. A temperature lock prevents you from setting the temperature too high. This makes the Bano thermostat mixer very safe, even for users that suffer from dementia.

### 58820 Bano shower thermostat 150 °C



 **BANO** accessories





Bano back rest for the 700 mm toilet for extra support is ergonomically designed. Made of structural foam that gives a soft, tempered surface. The material is firm and provides support. The back rest is easy to clean.




Ergonomic shape, soft and tempered surface


## Bano back rest for 700 mm toilet bowl




For Bano 700 mm 5975 toilet bowl



**5972-03** Bano back rest - grey  
For 700 mm 5975 toilet bowl



**5972-03B** Bano back rest - black  
For 700 mm 5975 toilet bowl



Bano's products details have been manufactured to a holistic design to ensure that all components match in the bathroom. The bathroom and shower shelves are available in different colours.

The movable shelves can be placed horizontally on the shower pole or grab bar. This ensures that no holes need to be drilled into the wall.

Bano bathroom shelf is spacious and has an extra high rim to hold toiletries and a toilet bag. Small bathroom shelf has room for both shampoo and conditioner.

Adequate water draining ensures good hygiene.



Bano shower shelf



Bano bathroom shelf for toilet bags

## Bano shelves

### Bano shower shelf

For Bano 5581 shower rail, 5440, 5460, 5480 and 54100 wall grab bars and 5591 wall grab bar L shape




**5596-G** Bano shower shelf-grey



**5596** Bano shower shelf- white



**5596-B** Bano shower shelf- black



### Bano bathroom shelf for toilet bag

For Bano 5460, 5480 and 54100 wall grab bars and 5591 wall grab bar L shape




**5491-G** Bano bathroom shelf-grey




**5491** Bano bathroom shelf- white






**5491-B** Bano bathroom shelf-black



Bano products have been manufactured to a holistic design to ensure that all components match in the bathroom. The holder is mounted on the wall for easy access to the floor while cleaning. The toilet brush holder can be easily detached from the wall mount for cleaning.



- 3477-G** Bano wall mounted white toilet brush - grey holder
- 3477** Bano wall mounted white toilet brush- white holder



Bano products have been manufactured to a holistic design to ensure that all components match in the bathroom. The wastebin is available in different colours.


The wastebin has a rectangular, curved shape to take up minimal space in the room. It is designed to be mounted on the wall with an unique wall mounting system which makes it easy to remove for taking away waste or cleaning. The wall mount can be fixed to the wall either with screws or glue.



**5496-G** Bano waste bin 10L- grey



**5496** Bano waste bin 10L- white



Bano accessories have been manufactured to a holistic design to ensure that all components match in the bathroom. It is more satisfying to use a bathroom in which all the elements match. In a Bano bathroom, this also applies to the small but important details, such as hooks for towels and flannels.

### Hang properly

Bano single wall hook is designed to ensure that towels hang securely and properly. It may be necessary to have towels hanging within easy reach in several places in the bathroom.






**5400/G** Bano single wall hook- grey



**5400** Bano single wall hook- white



**5400/B** Bano single wall hook- black



## Bano double wall hooks



Bano products have been manufactured to a holistic design to ensure that all components match in the bathroom. It is a pleasure to use a bathroom where all the components fit together. In a Bano bathroom this also includes important details like hooks for wash cloths and towels.

Bano double wall hooks has a solid cover which helps reduce build up of dust and dirt. Which makes it easier to clean and more hygienic. The double wall hooks are designed so the towels can hang well.

Bano double wall hooks can also be mounted with Bano 5440, 5460, 5480 and 54100 wall grab bars and 5591 wall grab bar L shape.




**5402-G** Bano double wall hooks- grey



**5402** Bano double wall hooks- white




**5402-B** Bano double wall hooks- black



**User friendly**

Many people need to use a walking stick or crutches in their everyday lives. In the Bano bathroom, it is essential that there is a place to store this support simply and within easy reach. The solution is the Bano stick holder, which is functional and user friendly. Bano walking stick holder “grabs” the user walking stick by a rubber strip, and it stays on place until it is needed again.

**5510 Bano walking stick holder**




### Explore every opportunity

if you want to explore all the opportunities offered by Bano washbasins in every day use, make sure to install the flexible outflow pipe and water trap.

### Excellent access to the washbasin

Wheelchair users can be sure of excellent access to the washbasin because the flexible outflow pipe can be pushed all the way into the wall, thus freeing up space below the washbasin. Adapted for use with all Bano washbasins.

### 52094 Bano flexible outflow pipe





### **Showroom**

Accora LTD

Charter House

Barrington Road

Orwell

Cambridge

CG8 5QP

Phone: 01954 214040

[www.bano.co.uk](http://www.bano.co.uk)

[post@bano.no](mailto:post@bano.no)

### **Contact**

**Kai-Rune Klubben**

*Executive Sales Director*

Mobil: +47 905 30 709

[kk@bano.no](mailto:kk@bano.no)